

Anti-MERSC CoV Spike Protein antibody (381-505aa Spike Receptor BD) (STJ140102)

STJ140102

GENERAL INFORMATION


| | |
|--------------------------|--|
| Product Type | Primary antibodies |
| Short Description | Goat polyclonal antibody anti-MERSC CoV Spike Protein (381-505aa Spike Receptor BD) is suitable for use in Western Blot research applications. |
| Applications | WB |
| Host/Source | Goat |
| Reactivity | Transfected cells |

PRODUCT PROPERTIES

| | |
|-----------------------|--|
| Clonality | Polyclonal |
| Clone ID | |
| Concentration | 3 mg/mL |
| Conjugation | Unconjugated |
| Purification | This antibody is epitope-affinity purified from goat antiserum. |
| Dilution Range | WB 1:500-1:2000 |
| Formulation | PBS, 20% glycerol and 0.05% sodium azide. |
| Isotype | IgG |
| Storage | For continuous use, store at 2-8 C for one-two days. For extended storage, store in -20 C freezer. Working dilution samples should be discarded if not used within 12 hours. |
| Instruction | |

TARGET INFORMATION

| | |
|---------------------------|--|
| Gene ID | |
| Gene Symbol | |
| Uniprot ID | |
| Immunogen | Purified recombinant peptide derived from within residues 381-505 aa (Spike receptor binding domain) of Spike protein from Middle East respiratory syndrome coronavirus produced in E. coli. |
| Immunogen Region | 381-505aa Spike Receptor BD |
| Specificity | Detects MERSC-CoV Spike (receptor binding domain) recombinant fusion proteins (MBP-S-protein and GFP-S-protein). |
| Immunogen Sequence | |



Anti-MERSC-CoV Spike Protein antibody at 1:1000 dilution; HEK293 transfected cell lysates at 30 µg per lane; rabbit polyclonal to goat IgG (HRP) at 1:10000 dilution.