

## Anti-Streptavidin antibody (50 aa C-Term) (STJ140171)

STJ140171

### GENERAL INFORMATION


<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Goat polyclonal antibody anti-Streptavidin (50 aa C-Term) is suitable for use in Western Blot research applications.
<b>Applications</b>	WB
<b>Host/Source</b>	Goat
<b>Reactivity</b>	Recombinant Streptavidin

### PRODUCT PROPERTIES

<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	3 mg/mL
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	Epitope affinity purified
<b>Dilution Range</b>	WB:1:500-1:5000
<b>Formulation</b>	PBS, 20% glycerol and 0.05% sodium azide
<b>Isotype</b>	IgG
<b>Storage</b>	For continuous use, store at 2-8 C for one-two days. For extended storage, store in -20 C freezer. Working dilution samples should be discarded if not used within 12 hours.
<b>Instruction</b>	

### TARGET INFORMATION

<b>Gene ID</b>	
<b>Gene Symbol</b>	
<b>Uniprot ID</b>	
<b>Immunogen</b>	Peptide derived from within residues 50 aa to the C-terminus of streptavidin protein.
<b>Immunogen Region</b>	50 aa C-Term
<b>Specificity</b>	Reacts specifically with streptavidin protein.
<b>Immunogen Sequence</b>	



Anti-Streptavidin antibody at 1/2, 500 dilution; lysates contain 30 ng of recombinant protein; rabbit polyclonal to goat IgG (HRP) at 1:10000 dilution

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
 St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081