

Anti-ACAT2 antibody (STJ194911) STJ194911

GENERAL INFORMATION

Product Type Primary antibodies

Short Description Rabbit polyclonal antibody anti-Acetyl-Coa Acetyltransferase-Cytosolic is suitable for use in Western Blot research applications. Applications WB Host/Source Rabbit Reactivity Human, Mouse, Rat

PRODUCT PROPERTIES

Clonality Polyclonal Clone ID Concentration 1 mg/mL
 Conjugation
 Unconjugated

 Purification
 The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.

 Dilution Range
 WB 1:500-2000

 Formulation
 PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype IgG Storage Instruction Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

| | G | aene ID | 39 |
|------------------|--------|----------|--|
| | Gene S | Symbol | ACAT2 |
| | Uni | iprot ID | THIC_HUMAN |
| | Immu | unogen | Synthesized peptide derived from human THIC |
| Immunogen Region | | | |
| | Spe | cificity | ACAT2 polyclonal antibody (Acetyl-Coa Acetyltransferase-Cytosolic) binds to endogenous Acetyl-Coa Acetyltransferase- |
| | | | Cytosolic. |
| Immunogen | | unogen | |
| Sequence | | | |
| | | | |
| | 1 | | |
| kDa 180 | | | |
| 140 100 | | | |
| 75 | | | |
| 60 | | | |
| 45 | - THIC | | |
| 35 | | | |

Western blot analysis of lysates from KB cells, primary antibody was diluted at 1:1000, 4°C over night

25 --15 ---10 ---

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081