

## Anti-KRT5 antibody (STJ24360)

STJ24360

### GENERAL INFORMATION


<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Rabbit polyclonal antibody anti-KRT5 is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence and Immunoprecipitation.
<b>Applications</b>	WB, IHC, IF, IP
<b>Host/Source</b>	Rabbit
<b>Reactivity</b>	Human, Mouse

### PRODUCT PROPERTIES


<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	Affinity purification
<b>Dilution Range</b>	WB 1:500-1:2000 IHC 1:50-1:200 IF 1:50-1:200 IP 1:50-1:200
<b>Formulation</b>	PBS containing 0.02% Sodium Azide, 50% Glycerol, pH7.3.
<b>Isotype</b>	IgG
<b>Storage Instruction</b>	Store in a freezer at -20°C and avoid freeze-thaw cycles.

### TARGET INFORMATION


<b>Gene ID</b>	3852
<b>Gene Symbol</b>	KRT5
<b>Uniprot ID</b>	K2C5_HUMAN
<b>Immunogen</b>	Recombinant protein of human Cytokeratin 5 (Cytokeratin 5 (KRT5))
<b>Immunogen Region</b>	
<b>Specificity</b>	
<b>Immunogen Sequence</b>	




Western blot analysis of extracts of various cell lines, using Cytokeratin 5 (KRT5) antibody (STJ24360) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.



Immunohistochemistry of paraffin-embedded Human esophageal cancer using Cytokeratin 5 (Cytokeratin 5 (KRT5)) rabbit polyclonal antibody (STJ24360) at dilution of 1:100 (40x lens).



Immunofluorescence analysis of L929 cells using Cytokeratin 5 (Cytokeratin 5 (KRT5)) rabbit polyclonal antibody (STJ24360) at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunoprecipitation analysis of 200ug extracts of A-431 cells using 3ug Cytokeratin 5 (Cytokeratin 5 (KRT5)) antibody (STJ24360). Western blot was performed from the immunoprecipitate using Cytokeratin 5 (Cytokeratin 5 (KRT5)) antibody (STJ24360) at a dilution of 1:5000.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081