

## Anti-U2SURP antibody (705-1029) (STJ26264)

STJ26264

### GENERAL INFORMATION

<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Rabbit polyclonal antibody anti-U2SURP (705-1029) is suitable for use in Western Blot, Immunohistochemistry and Immunofluorescence.
<b>Applications</b>	WB, IHC, IF
<b>Host/Source</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat


### PRODUCT PROPERTIES

<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	Affinity purification
<b>Dilution Range</b>	WB 1:500-1:2000 IHC 1:20-1:200 IF 1:50-1:200
<b>Formulation</b>	PBS containing 0.02% Sodium Azide, 50% Glycerol, pH7.3.
<b>Isotype</b>	IgG
<b>Storage Instruction</b>	Store in a freezer at -20°C and avoid freeze-thaw cycles.


### TARGET INFORMATION

<b>Gene ID</b>	23350
<b>Gene Symbol</b>	U2SURP
<b>Uniprot ID</b>	SR140_HUMAN
<b>Immunogen</b>	Recombinant fusion protein containing a sequence corresponding to amino acids 705-1029 of human U2SURP (NP_001073884.1).


<b>Immunogen Region</b>	705-1029
<b>Specificity</b>	
<b>Immunogen Sequence</b>	




Western blot analysis of extracts of various cell lines, using U2SURP Antibody (STJ26264) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 15s.



Immunohistochemistry of paraffin-embedded rat liver using U2SURP antibody (STJ26264) at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded human liver damage using U2SURP antibody (STJ26264) at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse liver using U2SURP antibody (STJ26264) at dilution of 1:100 (40x lens).