

## JTB protein (STJ505717)

STJ505717

### GENERAL INFORMATION

|                          |  |
|--------------------------|--|
| <b>Product Type</b>      | Proteins   |
| <b>Short Description</b> | JTB-protein if for use in research applications. |
| <b>Applications</b>      | WB   |
| <b>Host/Source</b>       |  |
| <b>Reactivity</b>        |  |

### PRODUCT PROPERTIES

|                      |   |
|----------------------|---|
| <b>Clonality</b>     |   |
| <b>Clone ID</b>      |   |
| <b>Concentration</b> | The concentration of the sample is empirically set so that 20 µl per lane in Western and blotted with corresponding affinity purified antibody will give a clean band with a high signal to noise ratio on the gel. |
| <b>Conjugation</b>   |   |
| <b>Purification</b>  |   |
| <b>Dilution</b>      |   |
| <b>Range</b>         |   |
| <b>Formulation</b>   |   |
| <b>Isotype</b>       |   |
| <b>Storage</b>       | Store at -20°C for long term storage. Avoid freeze-thaw cycles.   |
| <b>Instruction</b>   |   |

### TARGET INFORMATION

|                    |  |
|--------------------|--|
| <b>Gene ID</b>     | 10899  |
| <b>Gene Symbol</b> | JTB  |
| <b>Uniprot ID</b>  | JTB_HUMAN  |
| <b>Immunogen</b>   | Purified Jumping Translocation Breakpoint protein. |
| <b>Immunogen</b>   |  |
| <b>Region</b>      |  |
| <b>Specificity</b> |  |
| <b>Immunogen</b>   |  |
| <b>Sequence</b>    |  |