

Anti-TANK2 antibody (Internal) (STJ70000)

STJ70000

GENERAL INFORMATION


| | |
|--------------------------|---|
| Product Type | Primary antibodies |
| Short Description | Goat polyclonal antibody anti-TANK2 (Internal) is suitable for use in ELISA and Western Blot research applications. |
| Applications | Pep-ELISA, WB |
| Host/Source | Goat |
| Reactivity | Human, Mouse, Rat, Dog |

PRODUCT PROPERTIES

| | |
|----------------------------|--|
| Clonality | Polyclonal |
| Clone ID | |
| Concentration | 0.5 mg/mL |
| Conjugation | Unconjugated |
| Purification | Purified from goat serum by ammonium sulphate precipitation followed by affinity chromatography using Protein G. |
| Dilution Range | WB-Recommended concentration, 0.5-1.5µg/ml |
| Formulation | 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| Isotype | IgG |
| Storage Instruction | Store at -20 on receipt and minimise freeze-thaw cycles. |

TARGET INFORMATION

| | |
|---------------------------|--|
| Gene ID | 80351 |
| Gene Symbol | TNKS2 |
| Uniprot ID | TNKS2_HUMAN |
| Immunogen | |
| Immunogen Region | Internal |
| Specificity | Fusion protein containing 73 aas from region aa800-900 (according to NP_079511.1). No crossreactivity expected with TANK1. |
| Immunogen Sequence | RECOMBINANT2 |



HEK293 overexpressing TANK2 (lane 4) and TANK1 (lane 2) and probed with STJ70000 (mock transfection in first lane). Lane three is empty. Lower panel shows the same lysates probed for alpha-Actin to show protein levels. Primary incubation (0.5µg/ml) was overnight at 4°C. Detected by chemiluminescence.

HEK293 overexpressing TANK2 (lane 4) and TANK1 (lane 2) and probed with STJ70000 (mock transfection in first lane). Lane three is empty. Lower panel shows the same lysates probed for alpha-Actin to show protein levels. Primary incubation (0.5µg/ml) was overnight at 4°C. Detected by chemiluminescence.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.

St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081