

Anti-TRIM2 antibody (C-Term) (STJ70350)

STJ70350

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	Goat polyclonal antibody anti-TRIM2 (C-Term) is suitable for use in ELISA, Western Blot and Immunohistochemistry research applications.
Applications	Pep-ELISA, WB, IHC
Host/Source	Goat
Reactivity	Human, Mouse, Rat, Dog, Cow

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	0.5 mg/mL
Conjugation	Unconjugated
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Dilution Range	IHC-6-12µg/ml FC-Flow cytometric analysis of Jurkat cells. 10ug/ml ELISA-antibody detection limit dilution 1:16000.
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Isotype	IgG
Storage Instruction	Store at -20 on receipt and minimise freeze-thaw cycles.

TARGET INFORMATION

Gene ID	23321
Gene Symbol	TRIM2
Uniprot ID	TRIM2_HUMAN
Immunogen	
Immunogen Region	C-Term
Specificity	Cross-reactivity with TRIM3 has been demonstrated in Mouse.
Immunogen Sequence	DSGNHCFKVYRYLQ



STJ70350 (0.5µg/ml) staining of Rat Brain (A) + Peptide (B) lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.



STJ70350 Flow cytometric analysis of paraformaldehyde fixed Jurkat cells (blue line) permeabilized with 0.5% Triton. Primary incubation overnight (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml). IgG control: Unimmunized goat IgG (black line) followed by Alexa Fluor 488 secondary antibody.