

## Anti-B7-H4 antibody (Internal) (STJ71250)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Description Goat polyclonal antibody anti-B7-H4 (Internal) is suitable for use in ELISA and Western Blot research applications.

Applications Pep-ELISA, WB

Host/Source Goat

Reactivity Human, Mouse, Rat, Dog

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the

immunizing peptide.

Dilution Range IF-Strong expression of the protein seen in the cytoplasm and membranes/cell junctions of MCF7 cells. 10µg/ml

ELISA-antibody detection limit dilution 1:64000.

Formulation 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Isotype** IgG

Storage Instruction Store at-20 on receipt and minimise freeze-thaw cycles.

## **TARGET INFORMATION**

Gene ID 79679 Gene Symbol VTCN1


Uniprot ID VTCN1\_HUMAN


. Immunogen

Immunogen Region Internal

Specificity

Immunogen Sequence SKGKGNANLEYK





Immunofluorescence analysis of hyde fixed MCF7 cells, permeabilized with ton. Primary incubation 1 hr (10ug/m) Alexa Fluor 488 secondary antibody showing membrane/cell junction and staining. The nuclear stain is DAPI (blue), ntrol: Unimmunized goat IgG (10ug/ml) Alexa Fluor 488 secondary antibody

