

## Anti-thyroid peroxidase antibody (C-Term) (STJ72639)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Goat polyclonal antibody anti-thyroid peroxidase (C-Term) is suitable for use in ELISA, Western Blot and Immunohistochemistry

**Description** research applications. Applications Pep-ELISA, WB, IHC

Host/Source Goat Reactivity Human

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID Concentration 0.5 mg/mL Conjugation Unconjugated

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing

peptide.

**Dilution** WB-0.1-0.3μg/ml

Range IHC-Recommended concentration, 5-10μg/ml ELISA-antibody detection limit dilution 1:32000.

 $\begin{tabular}{ll} \hline \textbf{Formulation} & 0.5 \text{ mg/ml in Tris saline, } 0.02\% \text{ sodium azide, pH7.3 with } 0.5\% \text{ bovine serum albumin. NA} \\ \hline \end{tabular}$ 

**Isotype** IgG

Storage Store at-20 on receipt and minimise freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 7173

Gene Symbol TPO

Uniprot ID PERT\_HUMAN

Immunogen

Immunogen C-Term

Region

Specificity This antibody is expected to recognize all reported isoforms (NP\_000538.3; NP\_783650.1; NP\_783652.1; NP\_783653.1). Reported

variants represent identical protein: NP\_000538.3, NP\_001193673.1 Reported variants represent identical protein: NP\_783650.1,

Immunogen ELRCGKHQAVGTSPQ

Sequence

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa STJ72639 (0. 1µg/ml) staining of Thyroid Gland lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemilluminescence.