

## Anti-TNNI3 antibody (117-127) (STJ72955) STJ72955

## **GENERAL INFORMATION**

 Product Type
 Primary antibodies

 Short Description
 Goat polyclonal antibody anti-TNNI3 (117-127) is suitable for use in ELISA and Western Blot research applications.

 Applications
 Pep-ELISA, WB

 Host/Source
 Goat

 Reactivity
 Human, Mouse, Rat, Dog, Pig, Cow

## **PRODUCT PROPERTIES**

 Clonality Clone ID
 Polyclonal

 Concentration Concentration
 0.5 mg/mL

 Conjugation
 Unconjugated

 Purification
 Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.


 Dilution Range
 IF-Strong expression of the protein seen in the cytoplasm of U2OS and HeLa cells. 10µg/ml ELISA-antibody detection limit dilution 1:128000.

 Formulation
 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA Isotype


 IgG
 Store at-20 on receipt and minimise freeze-thaw cycles.

## **TARGET INFORMATION**


Gene ID 7137 Gene Symbol TNNI3 Uniprot ID TNNI3\_HUMAN Immunogen Immunogen Region 117-127 Specificity Immunogen KvTKNITEIAD Sequence



STJ72955 (0. 1 $\mu$ g/ml) staining of Human (A) , (0. 03 $\mu$ g/ml) Mouse (B) , (0. 1 $\mu$ g/ml) Rat (C) and Pig (D) Heart lysate (35 $\mu$ g protein in RIPA buffer). Detected by cherniluminescence.
---



Vinces Paraget and the second second



pararomaidenyoe tixed HeLa cells, permeabilized with 0. 15% Tirton. Primary incubation Thr (10ug/mi) ollowed by Alexa Fluor 488 secondary antibody 2ug/mi), showing cytoplasmic staining. The nuclear stain is DAPI (blue). Negative control: Unimmunized poat IgG (10ug/mi) followed by Alexa Fluor 488

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081