

Anti-SOX2 antibody (N-Term) (STJ73741) STJ73741

GENERAL INFORMATION

 Product Type
 Primary antibodies

 Short Description
 Goat polyclonal antibody anti-SOX2 (N-Term) is suitable for use in ELISA and Western Blot research applications.

 Applications
 Pep-ELISA, WB

 Host/Source
 Goat


 Reactivity
 Human, Mouse, Rat, Dog, Cow

PRODUCT PROPERTIES

Clonality Polyclonal Clone ID Concentration 0.5 mg/mL Conjugation Unconjugated Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. Dilution Range WB-0.1-0.3µg/ml IF-Strong expression of the protein seen in the nuclei of U251 cells. $10 \mu g/ml$ FC-Flow cytometric analysis of MCF7 cells. 10ug/ml ELISA-antibody detection limit dilution 1:32000. Formulation 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA Isotype IgG Storage Instruction Store at-20 on receipt and minimise freeze-thaw cycles.


TARGET INFORMATION

Gene ID 6657 Gene Symbol SOX2 Uniprot ID SOX2_HUMAN Immunogen Bypecificity Immunogen Specificity Sequence



STJ73741 (0. 3µg/ml) staining of MCF7 nuclear (A) and U251 (B) cell lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.

STJ73741 Immunofluorescence analysis of paraformatlehyde fixed U25 cells, permeabilized with 0. 15% Triton. Primary incubation 1hr (10ug/m) followed by Alexa Fluor 448 secondary antibody (2ug/m), showing nuclear staining. Actin filaments were stained with phaloidin (red.) Negative control: Unimmunized goat IgG (10ug/m) followed by Alexa Flour 488 secondary antibody (2ug/m).



→ Anti- SOX2

STJ/3741 Flow cytometric analysis o paraformaldehyde fixed MCF7 cells (blue line) permeabilized with 0.5% triton. Primary incubation this (10µgml) followed by Alexa Fluor 488 secondan antibody (1ug/ml). IgG control: Unimmunized goat IgG (black_line) followed by Alexa Fluor 488 secondan

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081