

## Anti-Phospho-DOK1-Tyr362 antibody (300-380) (STJ90244)

STJ90244

### GENERAL INFORMATION


<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Rabbit polyclonal antibody anti-Phospho-Docking Protein 1-Tyr362 (300-380) is suitable for use in Western Blot, Immunofluorescence, Immunocytochemistry and ELISA research applications.
<b>Applications</b>	WB, IF, ICC, ELISA
<b>Host/Source</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat

### PRODUCT PROPERTIES


<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	1 mg/mL
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
<b>Dilution Range</b>	WB 1:500-1:2000 IF 1:200-1:1000 ELISA 1:10000
<b>Formulation</b>	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
<b>Isotype</b>	IgG
<b>Storage Instruction</b>	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

### TARGET INFORMATION

<b>Gene ID</b>	1796
<b>Gene Symbol</b>	DOK1
<b>Uniprot ID</b>	DOK1_HUMAN
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human p62 Dok around the phosphorylation site of Tyr362 at amino acid range 329-378
<b>Immunogen Region</b>	300-380
<b>Specificity</b>	Phospho-DOK1-Tyr362 polyclonal antibody (Docking Protein 1) binds to endogenous Docking Protein 1 at the amino acid region 300-380 only when phosphorylated at Tyr362.
<b>Immunogen Sequence</b>	



Western blot analysis of lysates from 293 cells, using p62 Dok (Phospho-Tyr362) Antibody. The lane on the right is blocked with the phospho peptide.



Western blot analysis of various cells using Phospho-Dok-1 (Y362) Polyclonal Antibody

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081