

Anti-BAD antibody (70-150) (STJ91800)

GENERAL INFORMATION

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-Bcl2-Associated Agonist Of Cell Death (70-150) is suitable for use in Western Blot,

Description Immunohistochemistry, Immunofluorescence, Immunocytochemistry and ELISA research applications.

Applications WB, IHC-P, IF, ICC, ELISA

Host/Source Rabbit

Reactivity Human, Mouse, Rat

PRODUCT PROPERTIES

Clonality Polyclonal

Clone ID
Concentration 1 mg/mL Conjugation Unconjugated

Purification The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.

Dilution WB 1:500-1:2000 Range IHC 1:100-1:300 IF 1:200-1:1000

ELISA 1:5000

Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

Isotype IgG

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

TARGET INFORMATION

Gene ID 572

Gene Symbol BAD

Uniprot ID BAD_HUMAN


Immunogen The antiserum was produced against synthesized peptide derived from human BAD at amino acid range 100-149

Immunogen 70-150

Region
Specificity
BAD polyclonal antibody (Bcl2-Associated Agonist Of Cell Death) binds to endogenous Bcl2-Associated Agonist Of Cell Death at the


amino acid region 70-150.

Immunogen Sequence









Immunohistochemistry analysis of paraffin-embedder human brain tissue, using BAD Antibody. The picture on the right is blocked with the synthesized peptide.