

## Anti-CCRL2 antibody (110-190 Internal) (STJ92079)

STJ92079

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-C-C Chemokine Receptor-Like 2 (110-190 Internal) is suitable for use in Western Blot,

**Description** Immunofluorescence, Immunocytochemistry and ELISA research applications.

Applications WB, IF, ICC, ELISA

Host/Source Rabbit

Reactivity Human, Rat, Mouse

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 1 mg/mL

Conjugation Unconjugated

Purification The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.

Dilution WB 1:500-1:2000 Range IF 1:200-1:1000 ELISA 1:20000

Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

**Isotype** IgG

Storage Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 9034

Gene Symbol CCRL2

Uniprot ID CCRL2\_HUMAN

Immunogen The antiserum was produced against synthesized peptide derived from human CCRL2 at amino acid range 141-190


Immunogen 110-190 Internal

Region


Specificity CCRL2 polyclonal antibody (C-C Chemokine Receptor-Like 2) binds to endogenous C-C Chemokine Receptor-Like 2 at the amino

acid region 110-190 Internal.


Immunogen Sequence




Western blot analysis of the lysates from 293 cel using CCRL2 antibody.



Immunofluorescence analysis of COS7 cells, using CCRL2 Antibody. The picture on the right is blocked with the synthesized peotide.



Western blot analysis of lysates from HepG2 cells, using CCRL2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of various cells using CCR Polyclonal Antibody