

Anti-B3GAT1 antibody (N-Term) (STJ92134)

STJ92134

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	Rabbit polyclonal antibody anti-Galactosylgalactosylxylosylprotein 3-Beta-Glucuronosyltransferase 1 (N-Term) is suitable for use in Immunohistochemistry, Immunofluorescence and ELISA research applications.
Applications	IHC-P, IF-P, ELISA
Host/Source	Rabbit
Reactivity	Human, Mouse, Rat

PRODUCT PROPERTIES

Clonality	Polyclonal
Clone ID	
Concentration	1 mg/mL
Conjugation	Unconjugated
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution Range	IHC 1:100-1:300 ELISA 1:5000
Formulation	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	27087
Gene Symbol	B3GAT1
Uniprot ID	B3GA1_HUMAN
Immunogen	The antiserum was produced against synthesized peptide derived from human CD57 at amino acid range 35-84
Immunogen Region	N-Term
Specificity	B3GAT1 polyclonal antibody (Galactosylgalactosylxylosylprotein 3-Beta-Glucuronosyltransferase 1) binds to endogenous Galactosylgalactosylxylosylprotein 3-Beta-Glucuronosyltransferase 1 at the amino acid region N-Term.
Immunogen Sequence	



Immunohistochemistry analysis of CD57 antibody in paraffin-embedded human brain tissue.

Immunohistochemical analysis of paraffin-embedded Human stomach. 1. Antibody was diluted at 1:400 (4°C overnight). 2. High-pressure and temperature EDTA, pH8.0 was used for antigen retrieval. 3. Secondary antibody was diluted at 1:200 (room temperature, 30min).

Immunohistochemical analysis of paraffin-embedded Human stomach. 1. Antibody was diluted at 1:400 (4°C overnight). 2. High-pressure and temperature EDTA, pH8.0 was used for antigen retrieval. 3. Secondary antibody was diluted at 1:200 (room temperature, 30min).

Immunohistochemical analysis of paraffin-embedded Human stomach. 1. Antibody was diluted at 1:400 (4°C overnight). 2. High-pressure and temperature EDTA, pH8.0 was used for antigen retrieval. 3. Secondary antibody was diluted at 1:200 (room temperature, 30min).

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081