

## Anti-MED14 antibody (670-750 Internal) (STJ92486) STJ92486

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-Mediator Of Rna Polymerase li Transcription Subunit 14 (670-750 Internal) is suitable for use in Description Immunohistochemistry, Immunofluorescence, Immunocytochemistry and ELISA research applications. Applications IHC-P, IF, ICC, ELISA Host/Source Rabbit Reactivity Human, Mouse

## **PRODUCT PROPERTIES**

Clonality Clone ID	Polyclonal
Concentration	1 mg/mL
Conjugation	Unconjugated
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution	IHC 1:100-1:300
Range	IF 1:200-1:1000
	ELISA 1:40000
Formulation	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype	lgG
Storage Instruction	Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.


## **TARGET INFORMATION**

Gene ID	9282
Gene Symbol	MED14
Uniprot ID	MED14
Immunogen	The anti
Immunogen	670-750
Region	
Specificity	MED14

Immunogen Sequence

IED14\_HUMAN ne antiserum was produced against synthesized peptide derived from human MED14 at amino acid range 701-750 70-750 Internal

ED14 polyclonal antibody (Mediator Of Rna Polymerase li Transcription Subunit 14) binds to endogenous Mediator Of Rna Polymerase li Transcription Subunit 14 at the amino acid region 670-750 Internal.



nohistochemistry analysis of paraffin-embedded n brain tissue, using MED14 Antibody. The picture right is blocked with the synthesized peptide.

Immunofluorescence analysis of COS7 cells, using MED14 Antibody. The picture on the right is blocked with the synthesized pentide.

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081