

## Anti-BAIAP2L1 antibody (80-160 Internal) (STJ93776)

STJ93776

### GENERAL INFORMATION


|                          |  |
|--------------------------|--|
| <b>Product Type</b>      | Primary antibodies   |
| <b>Short Description</b> | Rabbit polyclonal antibody anti-Brain-Specific Angiogenesis Inhibitor 1-Associated Protein 2-Like Protein 1 (80-160 Internal) is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence and ELISA research applications. |
| <b>Applications</b>      | WB, IHC-P, IF-P, ELISA   |
| <b>Host/Source</b>       | Rabbit   |
| <b>Reactivity</b>        | Human, Mouse, Rat  |

### PRODUCT PROPERTIES


|                            |   |
|----------------------------|---|
| <b>Clonality</b>           | Polyclonal  |
| <b>Clone ID</b>            |   |
| <b>Concentration</b>       | 1 mg/mL   |
| <b>Conjugation</b>         | Unconjugated  |
| <b>Purification</b>        | The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.         |
| <b>Dilution Range</b>      | WB 1:500-1:2000<br>IHC 1:100-1:300<br>ELISA 1:5000  |
| <b>Formulation</b>         | PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.   |
| <b>Isotype</b>             | IgG   |
| <b>Storage Instruction</b> | Store at 20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles. |

### TARGET INFORMATION


|                           |  |
|---------------------------|--|
| <b>Gene ID</b>            | 55971  |
| <b>Gene Symbol</b>        | BAIAP2L1   |
| <b>Uniprot ID</b>         | BI2L1_HUMAN  |
| <b>Immunogen Region</b>   | The antiserum was produced against synthesized peptide derived from human BAIAP2L1 at amino acid range 111-160   |
| <b>Immunogen Region</b>   | 80-160 Internal  |
| <b>Specificity</b>        | BAIAP2L1 polyclonal antibody (Brain-Specific Angiogenesis Inhibitor 1-Associated Protein 2-Like Protein 1) binds to endogenous Brain-Specific Angiogenesis Inhibitor 1-Associated Protein 2-Like Protein 1 at the amino acid region 80-160 Internal. |
| <b>Immunogen Sequence</b> |  |



Western blot analysis of lysates from HepG2 cells, using BAIAP2L1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from K562 cells using BAIAP2L1 antibody.



Western blot analysis of various cells using IRTKS Polyclonal Antibody diluted at 1: 2000

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081