

## Anti-PIGH antibody (110-190 C-Term) (STJ95090)

STJ95090

### GENERAL INFORMATION


<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Rabbit polyclonal antibody anti-Phosphatidylinositol N-Acetylglucosaminyltransferase Subunit H (110-190 C-Term) is suitable for use in Immunohistochemistry, Immunofluorescence and ELISA research applications.
<b>Applications</b>	IHC-P, IF-P, ELISA
<b>Host/Source</b>	Rabbit
<b>Reactivity</b>	Human, Mouse

### PRODUCT PROPERTIES

<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	1 mg/mL
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
<b>Dilution</b>	IHC 1:100-1:300
<b>Range</b>	ELISA 1:40000
<b>Formulation</b>	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
<b>Isotype</b>	IgG
<b>Storage</b>	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.
<b>Instruction</b>	

### TARGET INFORMATION

<b>Gene ID</b>	5283
<b>Gene Symbol</b>	PIGH
<b>Uniprot ID</b>	PIGH_HUMAN
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human PIGH at amino acid range 137-186
<b>Immunogen Region</b>	110-190 C-Term
<b>Specificity</b>	PIGH polyclonal antibody (Phosphatidylinositol N-Acetylglucosaminyltransferase Subunit H) binds to endogenous Phosphatidylinositol N-Acetylglucosaminyltransferase Subunit H at the amino acid region 110-190 C-Term.
<b>Immunogen Sequence</b>	



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using PIGH Antibody. The picture on the right is blocked with the synthesized peptide.