

## Anti-RECK antibody (40-120 N-Term) (STJ95401)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-Reversion-Inducing Cysteine-Rich Protein With Kazal Motifs (40-120 N-Term) is suitable for use in

Description Immunohistochemistry, Immunofluorescence, Immunocytochemistry, Western Blot and ELISA research applications.

Applications IHC-P, IF, ICC, WB, ELISA

Host/Source Rabbit Reactivity Human, Mouse

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID
Concentration 1 mg/mL

Conjugation Unconjugated

**Purification** The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.

**Dilution** WB 1:500-2000 Range IHC 1:100-1:300 IF 1:200-1:1000

ELISA 1:20000

Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

**Isotype** IgG

**Storage** Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 8434 Gene Symbol RECK

Uniprot ID RECK\_HUMAN


Immunogen The antiserum was produced against synthesized peptide derived from human RECK at amino acid range 21-70


Immunogen 40-120 N-Term

Region
Specificity RECK polyclonal antibody (Reversion-Inducing Cysteine-Rich Protein With Kazal Motifs) binds to endogenous Reversion-Inducing

Cysteine-Rich Protein With Kazal Motifs at the amino acid region 40-120 N-Term.

Immunogen Sequence





Immunofluorescence analysis of HepG2 cells, using RECK Antibody. The picture on the right is blocked with the synthesized pentide.