

## Anti-TAS2R16 antibody (110-190 Internal) (STJ95872)

STJ95872

### GENERAL INFORMATION


<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Rabbit polyclonal antibody anti-Taste Receptor Type 2 Member 16 (110-190 Internal) is suitable for use in Western Blot, Immunofluorescence, Immunocytochemistry and ELISA research applications.
<b>Applications</b>	WB, IF, ICC, ELISA
<b>Host/Source</b>	Rabbit
<b>Reactivity</b>	Human, Rat, Mouse

### PRODUCT PROPERTIES

<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	1 mg/mL
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
<b>Dilution Range</b>	WB 1:500-1:2000 IF 1:200-1:1000 ELISA 1:20000
<b>Formulation</b>	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
<b>Isotype</b>	IgG
<b>Storage Instruction</b>	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

### TARGET INFORMATION

<b>Gene ID</b>	50833
<b>Gene Symbol</b>	TAS2R16
<b>Uniprot ID</b>	T2R16_HUMAN
<b>Immunogen Region</b>	The antiserum was produced against synthesized peptide derived from human TAS2R16 at amino acid range 136-185 110-190 Internal
<b>Specificity</b>	TAS2R16 polyclonal antibody (Taste Receptor Type 2 Member 16) binds to endogenous Taste Receptor Type 2 Member 16 at the amino acid region 110-190 Internal.
<b>Immunogen Sequence</b>	



Western blot analysis of lysates from MCF-7 cells, using TAS2R16 Antibody. The lane on the right is blocked with the synthesized peptide.