

## Anti-TAF13 antibody (40-120 Internal) (STJ95893)

## **GENERAL INFORMATION**

Product Type Primary antibodies

Short Rabbit polyclonal antibody anti-Transcription Initiation Factor Tfiid Subunit 13 (40-120 Internal) is suitable for use in

**Description** Immunohistochemistry, Immunofluorescence and ELISA research applications.

Applications IHC-P, IF-P, ELISA Host/Source Rabbit

Reactivity Human, Mouse

## **PRODUCT PROPERTIES**

Clonality Polyclonal

Clone ID

Concentration 1 mg/mL Conjugation Unconjugated

Purification The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.

Dilution Range IHC 1:100-1:300

FLISA 1:40000

Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.

**Isotype** IgG

Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

Instruction

## **TARGET INFORMATION**

Gene ID 6884

Gene Symbol TAF13

Uniprot ID TAF13\_HUMAN

Immunogen The antiserum was produced against synthesized peptide derived from human TAF13 at amino acid range 71-120


Immunogen 40-120 Internal

Region

Specificity TAF13 polyclonal antibody (Transcription Initiation Factor Tfiid Subunit 13) binds to endogenous Transcription Initiation Factor Tfiid

Subunit 13 at the amino acid region 40-120 Internal.

Immunogen Sequence



emistry analysis of paraffin-embedded arcinoma tissue, using TAF13 Antibody. the right is blocked with the synthesized