

Anti-GTF3C2 antibody (40-120 N-Term) (STJ95987) STJ95987

GENERAL INFORMATION

 Product Type
 Primary antibodies

 Short
 Rabbit polyclonal antibody anti-General Transcription Factor 3c Polypeptide 2 (40-120 N-Term) is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence and ELISA research applications.

 Applications
 WB, IHC-P, IF-P, ELISA

 Reactivity
 Human, Rat, Mouse

PRODUCT PROPERTIES

| Clonality Clone ID | Polyclonal | | | |
|------------------------|---|--|--|--|
| Concentration | 1 mg/mL | | | |
| Conjugation | Unconjugated | | | |
| Purification | The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography. | | | |
| Dilution | WB 1:500-1:2000 | | | |
| Range | IHC 1:100-1:300 | | | |
| | ELISA 1:20000 | | | |
| Formulation | PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide. | | | |
| Isotype | lgG | | | |
| Storage Instruction | Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles. | | | |

TARGET INFORMATION

| Immunogen Immunogen Region | | | | |
|--|---|---|--|--|
| Specificity | | | | |
| Immunogen Sequence | | | | |
| HepG2COLO HUVE | 170 130 | (KD) HepG2 170- | | |
| TF3C2 | 95 | 130- 95- | | |
| | 72 (kD) | 72- 55- | | |
| Western blot analysis of lysates COLO205, and HUVEC cells, using The lane on the right is blocked with peptide. | from HepG2, TF3C2 Antibody. the synthesized | Western blot analysis of various cells using TFIIIC110 Polyclonal Antibody | | |

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081