

## Anti-TRADD antibody (220-300 C-Term) (STJ96081)

STJ96081

### GENERAL INFORMATION


|                          |   |
|--------------------------|---|
| <b>Product Type</b>      | Primary antibodies  |
| <b>Short Description</b> | Rabbit polyclonal antibody anti-Tumor Necrosis Factor Receptor Type 1-Associated Death Domain Protein (220-300 C-Term) is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence and ELISA research applications. |
| <b>Applications</b>      | WB, IHC-P, IF-P, ELISA  |
| <b>Host/Source</b>       | Rabbit  |
| <b>Reactivity</b>        | Human, Mouse, Monkey  |

### PRODUCT PROPERTIES


|                            |   |
|----------------------------|---|
| <b>Clonality</b>           | Polyclonal  |
| <b>Clone ID</b>            |   |
| <b>Concentration</b>       | 1 mg/mL   |
| <b>Conjugation</b>         | Unconjugated  |
| <b>Purification</b>        | The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.         |
| <b>Dilution Range</b>      | WB 1:500-1:2000<br>IHC 1:100-1:300<br>ELISA 1:10000   |
| <b>Formulation</b>         | PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.   |
| <b>Isotype</b>             | IgG   |
| <b>Storage Instruction</b> | Store at 20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles. |

### TARGET INFORMATION


|                           |  |
|---------------------------|--|
| <b>Gene ID</b>            | 8717   |
| <b>Gene Symbol</b>        | TRADD  |
| <b>Uniprot ID</b>         | TRADD_HUMAN  |
| <b>Immunogen</b>          | The antiserum was produced against synthesized peptide derived from human TRADD at amino acid range 251-300  |
| <b>Immunogen Region</b>   | 220-300 C-Term   |
| <b>Specificity</b>        | TRADD polyclonal antibody (Tumor Necrosis Factor Receptor Type 1-Associated Death Domain Protein) binds to endogenous Tumor Necrosis Factor Receptor Type 1-Associated Death Domain Protein at the amino acid region 220-300 C-Term. |
| <b>Immunogen Sequence</b> |  |




Western blot analysis of lysates from COS7 cells, using TRADD Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of COS7 cells using TRADD Polyclonal Antibody. Secondary antibody was diluted at 1:20000



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using TRADD Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of various cells using TRADD Polyclonal Antibody. Secondary antibody was diluted at 1:20000

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.  
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081