Anti-TNFSF10 antibody (1-80 Internal) (STJ96086)

STJ96086

GENERAL INFORMATION

Product Type Primary antibodies
Short Description Rabbit polyclonal antibody anti-Tumor Necrosis Factor Ligand Superfamily Member 10 (1-80 Internal) is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence, Immunocytochemistry and ELISA research applications.
Applications WB, IHC-P, IF, ICC, ELISA
Host/Source Rabbit
Reactivity Human, Rat, Mouse

PRODUCT PROPERTIES

Clonality Polyclonal
Clone ID
Concentration 1 mg/mL
Conjugation Unconjugated
Purification The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution Range WB 1:500-1:2000
IHC 1:100-1:300
IF 1:200-1:1000
ELISA 1:20000
Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype IgG
Storage Instruction Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID 8743
Gene Symbol TNFSF10
Uniprot ID TNF10_HUMAN
Immunogen The antiserum was produced against synthesized peptide derived from human TNFSF10 at amino acid range 31-80
Immunogen Region 1-80 Internal
Specificity TNFSF10 polyclonal antibody (Tumor Necrosis Factor Ligand Superfamily Member 10) binds to endogenous Tumor Necrosis Factor Ligand Superfamily Member 10 at the amino acid region 1-80 Internal.
Immunogen Sequence



Immunofluorescence analysis of A549 cells, using CD253 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HUVEC cells and 293 cells, using CD253 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of various cells using TRAIL Polyclonal Antibody. Secondary antibody was diluted at 1:20000

St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081