

Anti-USP11 antibody (Internal) (STJ96193)

STJ96193

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	Rabbit polyclonal antibody anti-Ubiquitin Carboxyl-Terminal Hydrolase 11 (Internal) is suitable for use in Immunofluorescence, Immunocytochemistry, Western Blot and ELISA research applications.
Applications	IF, ICC, WB, ELISA
Host/Source	Rabbit
Reactivity	Human, Mouse, Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	1 mg/mL
Conjugation	Unconjugated
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution Range	IF 1:50-200 WB 1:500-1:2000 ELISA 1:20000
Formulation	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene ID	8237
Gene Symbol	USP11
Uniprot ID	UBP11_HUMAN
Immunogen	Synthesized peptide derived from the Internal region of human USP11.
Immunogen Region	Internal
Specificity	USP11 polyclonal antibody (Ubiquitin Carboxyl-Terminal Hydrolase 11) binds to endogenous Ubiquitin Carboxyl-Terminal Hydrolase 11 at the amino acid region Internal.
Immunogen Sequence	



Immunofluorescence analysis of human-lung tissue. 1. USP11 Polyclonal Antibody (red) was diluted at 1:200 (4°C overnight). 2. Cy3 labeled Secondary antibody was diluted at 1:300 (room temperature, 50min). 3. Picture B: DAPI (blue) 10min. Picture A: Target. Picture B: DAPI. Picture C: merge of A+B



Western blot analysis of 293 cells using USP11 Polyclonal Antibody. Secondary antibody was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003, Inventibiotec, MN, USA).



Immunofluorescence analysis of human-uterus tissue. 1. USP11 Polyclonal Antibody (red) was diluted at 1:200 (4°C overnight). 2. Cy3 labeled Secondary antibody was diluted at 1:300 (room temperature, 50min). 3. Picture B: DAPI (blue) 10min. Picture A: Target. Picture B: DAPI. Picture C: merge of A+B

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081