

Anti-USP50 antibody (220-300 C-Term) (STJ96209)

STJ96209

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	Rabbit polyclonal antibody anti-Inactive Ubiquitin Carboxyl-Terminal Hydrolase 50 (220-300 C-Term) is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence and ELISA research applications.
Applications	WB, IHC-P, IF-P, ELISA
Host/Source	Rabbit
Reactivity	Human, Mouse

PRODUCT PROPERTIES


Clonality	Polyclonal
Clone ID	
Concentration	1 mg/mL
Conjugation	Unconjugated
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution Range	WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000
Formulation	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	373509
Gene Symbol	USP50
Uniprot ID	UBP50_HUMAN
Immunogen	The antiserum was produced against synthesized peptide derived from human USP50 at amino acid range 251-300
Immunogen Region	220-300 C-Term
Specificity	USP50 polyclonal antibody (Inactive Ubiquitin Carboxyl-Terminal Hydrolase 50) binds to endogenous Inactive Ubiquitin Carboxyl-Terminal Hydrolase 50 at the amino acid region 220-300 C-Term.
Immunogen Sequence	



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using USP50 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of various cells using USP50 Polyclonal Antibody. Secondary antibody was diluted at 1:20000