

## Anti-SCNN1G antibody (Internal) (STJ96397)

STJ96397

### GENERAL INFORMATION


<b>Product Type</b>	Primary antibodies
<b>Short Description</b>	Rabbit polyclonal antibody anti-Amiloride-Sensitive Sodium Channel Subunit Gamma (Internal) is suitable for use in Western Blot and ELISA research applications.
<b>Applications</b>	WB, ELISA
<b>Host/Source</b>	Rabbit
<b>Reactivity</b>	Human, Mouse, Rat

### PRODUCT PROPERTIES


<b>Clonality</b>	Polyclonal
<b>Clone ID</b>	
<b>Concentration</b>	1 mg/mL
<b>Conjugation</b>	Unconjugated
<b>Purification</b>	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
<b>Dilution Range</b>	WB 1:500-1:2000 ELISA 1:20000
<b>Formulation</b>	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
<b>Isotype</b>	IgG
<b>Storage</b>	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.
<b>Instruction</b>	

### TARGET INFORMATION

<b>Gene ID</b>	6340
<b>Gene Symbol</b>	SCNN1G
<b>Uniprot ID</b>	SCNNG_HUMAN
<b>Immunogen</b>	The antiserum was produced against synthesized peptide derived from human ENaC gamma at amino acid range 132-181
<b>Immunogen Region</b>	Internal
<b>Specificity</b>	SCNN1G polyclonal antibody (Amiloride-Sensitive Sodium Channel Subunit Gamma) binds to endogenous Amiloride-Sensitive Sodium Channel Subunit Gamma at the amino acid region Internal.
<b>Immunogen Sequence</b>	



Western blot analysis of lysates from A549 cells, using ENaC Gamma antibody.



Western blot analysis of extracts from A549 cells, using ENaC Gamma Polyclonal Antibody. Antibody was diluted at 1:500. Secondary antibody was diluted at 1:20000