

Anti-LAMC2 antibody (C-Term) (STJ96744) STJ96744

GENERAL INFORMATION

Product Type Primary antibodies Short Rabbit polyclonal antibody anti-Laminin Subunit Gamma-2 (C-Term) is suitable for use in Western Blot, Immunohistochemistry, Description Immunofluorescence and ELISA research applications. Applications WB, IHC-P, IF-P, ELISA Host/Source Rabbit Reactivity Human, Rat

PRODUCT PROPERTIES

Clonality Polyclonal Clone ID Concentration 1 mg/mL Conjugation Unconjugated Purification The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography. Dilution Range WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000 Formulation PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide. Isotype IgG Storage Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles. Instruction

TARGET INFORMATION

Gene ID	
Gene Symbol	LAMC2
Uniprot ID	LAMC2_HUMAN
Immunogen	The antiserum was produced against synthesized peptide derived from the C-terminal region of human LAMC2 at amino acid range
-	1021-1070
Immunogen	C-Term
Region	
	LAMC2 polyclonal antibody (Laminin Subunit Gamma-2) binds to endogenous Laminin Subunit Gamma-2 at the amino acid region
	C-Term.
Immunogen	
Sequence	
K562	
(kD)	
170-	
130-	
95-	

55-Western blot analysis of lysate from K562 cells, using LAMC2 Antibody.

lmm hum

72-

nohistochemical analysis of paraffi n-lung, antibody was diluted at 1:100 Immunoh human-li nistochemical analysis of paraffi ver, antibody was diluted at 1:100 Immunohistochemical analysis of paraffi human-lung, antibody was diluted at 1:100

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081

1.12 112