

Anti-NFATC1 antibody (881-930 C-Term) (STJ96746)

STJ96746

GENERAL INFORMATION


Product Type	Primary antibodies
Short Description	Rabbit polyclonal antibody anti-Nuclear Factor Of Activated T-Cells-Cytoplasmic 1 (881-930 C-Term) is suitable for use in Western Blot, Immunohistochemistry, Immunofluorescence and ELISA research applications.
Applications	WB, IHC-P, IF-P, ELISA
Host/Source	Rabbit
Reactivity	Human, Mouse

PRODUCT PROPERTIES

Clonality	Polyclonal
Clone ID	
Concentration	1 mg/mL
Conjugation	Unconjugated
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution Range	WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000
Formulation	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype	IgG
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	4772
Gene Symbol	NFATC1
Uniprot ID	NFAC1_HUMAN
Immunogen	The antiserum was produced against synthesized peptide derived from the C-terminal region of human NFATC1 at amino acid range 881-930
Immunogen Region	881-930 C-Term
Specificity	NFATC1 polyclonal antibody (Nuclear Factor Of Activated T-Cells-Cytoplasmic 1) binds to endogenous Nuclear Factor Of Activated T-Cells-Cytoplasmic 1 at the amino acid region 881-930 C-Term.
Immunogen Sequence	



Immunohistochemical analysis of paraffin-embedded human-lung, antibody was diluted at 1:100



Western blot analysis of lysate from HUVEC cells, using NFATC1 Antibody.



Western blot analysis of HUVEC cells using NFATC1 Polyclonal Antibody. Secondary antibody was diluted at 1:20000

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes.
St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081