

Anti-MTERFD3 antibody (1-250) (STJ110816)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:1000 ELISA: Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 44kDa Observed Mw: 44kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	80298
Gene Symbol	MTERF2
UniProt ID	MTEF2_HUMAN
Immunogen Region	1-250
Immunogen Sequence	MLWKLLRSQSCRLCSFRKM RSPPKYRPFACFTYTTDKQ SSKENTRTVEKLYKCSVDIR KIRRLKGWVLLLEDITYVEEI ANILQELGADETAVASILER CPEAIVCSPTAVNTQRKLWQ LVCKNEEELIKLIEQFPESF FTIKDQENQKLNQVFFQELG LKNVVISRLLTAAPNVFHNH VEKNKQMVRLQESYLDVGG SEANMKVWLLKLLSQNPFI LNSPTAIKETLEFLQEQQF
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-250 of human MTERFD3 (NP_079474.2).

ADDITIONAL INFORMATION

Note	STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.
------	---



Western blot analysis of various lysates using MTERFD3 Rabbit pAb (STJ110816) at 1:1000 dilution.
 Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution.
 Lysates/proteins: 25 µg per lane.
 Blocking buffer: 3% nonfat dry milk in TBST.
 Detection: ECL Basic Kit
 Exposure time: 180s.