

## Anti-SRRT antibody (623-872) (STJ11100951)

### GENERAL INFORMATION

Product Type	Primary antibodies
Applications	IHC-P/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

### PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	IHC-P:1:50-1:200 ELISA:Recommended starting concentration is 1 $\mu$ g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 101kDa Observed Mw: Refer to figures
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

### TARGET INFORMATION


Gene ID	<a href="#">51593</a>
Gene Symbol	<a href="#">SRRT</a>
UniProt ID	<a href="#">SRRT_HUMAN</a>
Immunogen Region	623-872
Immunogen Sequence	DYYNTCEYPNEDEMPNRCGI IHVRGPMPPNRISHGEVLEW QKTFEEKLTPLLSVRESLSE EEAQKMGRKDPEQEVEKFVT SNTQELGKDKWLCPLSGKKF KGPEFVRKHIFNKHAEKIEE VKKEVAFFNFLTDAKRPAL PEIKPAQPPGPAQSLTPGLP YPHQTPQGLMPYGGQPRPIL GYGAGAVRPAVPTGGPPYPH APYGAGRGNDAFRGQGGYP GKPRNRMVRGDPRAIVEYR
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 623-872 of human SRRT (NP_001122325.1).

### ADDITIONAL INFORMATION


Note **STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.**



Immunohistochemistry analysis of paraffin-embedded Rat liver using SRRT Rabbit pAb (STJ11100951) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to immunohistochemistry staining.



Immunohistochemistry analysis of paraffin-embedded Human gastric cancer using SRRT Rabbit pAb (STJ11100951) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to immunohistochemistry staining.



Immunohistochemistry analysis of paraffin-embedded Mouse testis using SRRT Rabbit pAb (STJ11100951) at dilution of 1:100 (40x lens). Microwave antigen retrieval performed with 0.01M PBS Buffer (pH 7.2) prior to immunohistochemistry staining.