

## Anti-NR3C1 antibody (2-180) [S2MR] (STJ11101712)

### GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/IP/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

### PRODUCT PROPERTIES


Clonality	Monoclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:2000 IP:0.5 Mu g-4 Mu g antibody for 200 Mu g-400 Mu g extracts of whole cells ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 86kDa Observed Mw: 95kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

### TARGET INFORMATION


Gene ID	<a href="#">2908</a>
Gene Symbol	<a href="#">NR3C1</a>
UniProt ID	<a href="#">GCR_HUMAN</a>
Immunogen Region	2-180
Immunogen Sequence	DSKESLTPGREENPSSVLAQ ERGDVMDFYKTLRGGATVKV SASSPSLAVASQSDSKQRRL LVDFPKGSVSNAAQPDLSKA VLSMGLYMGETETKVMGND LGFPQQGQISLSSGETDLKL LEESIANLNRSTSVPENPKS SASTAVSAAPEKEFPKTHS DVSEQQHLKGGQTGTNGGN
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 2-180 of human GR (P04150).

### ADDITIONAL INFORMATION

Note **STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.**



Immunoprecipitation analysis of 300 Mu g extracts of U-251MG cells using 3 Mu g Glucocorticoid Receptor antibody (STJ11101712). Western blot was performed from the immunoprecipitate using Glucocorticoid Receptor antibody (STJ11101712) at a dilution of 1:1000.



Western blot analysis of various lysates using Glucocorticoid Receptor Rabbit monoclonal antibody (STJ11101712) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.