

## Anti-MAP3K4 antibody (1-100) (STJ11102801)

### GENERAL INFORMATION

|               |                    |
|---------------|--------------------|
| Product Type  | Primary antibodies |
| Applications  | WB/IHC-P/ELISA     |
| Host / Source | Rabbit             |
| Reactivity    | Human/Rat          |

### PRODUCT PROPERTIES


|                     |                                                                                                                                                                             |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Clonality           | Polyclonal                                                                                                                                                                  |
| Concentration       | Lot specific                                                                                                                                                                |
| Conjugation         | Unconjugated                                                                                                                                                                |
| Purification        | Affinity purification                                                                                                                                                       |
| Dilution Range      | WB:1:500-1:2000<br>IHC-P:1:100-1:200<br>ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements. |
| Formulation         | PBS with 0.01% Thimerosal, 50% Glycerol, pH 7.3.                                                                                                                            |
| Isotype             | IgG                                                                                                                                                                         |
| Molecular Weight    | Protein Mw: 182kDa<br>Observed Mw: 170kDa                                                                                                                                   |
| Storage Instruction | Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.                                                                              |

### TARGET INFORMATION


|                    |                                                                                                           |
|--------------------|-----------------------------------------------------------------------------------------------------------|
| Gene ID            | <a href="#">4216</a>                                                                                      |
| Gene Symbol        | <a href="#">MAP3K4</a>                                                                                    |
| UniProt ID         | <a href="#">M3K4_HUMAN</a>                                                                                |
| Immunogen Region   | 1-100                                                                                                     |
| Immunogen Sequence | MREAAAALVPPPAFAVTPAA AMEEPPPPPPPPPPPEPET ESEPECCLAARQEGTLGDSA<br>CKSPESDLEDFSDETNTENL YGTSPSTPRQMKRMSTKHQ |
| Specificity        | A synthetic peptide corresponding to a sequence within amino acids 1-100 of human MAP3K4 (NP_005913.2).   |

### ADDITIONAL INFORMATION


**Note** STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.




Immunohistochemistry analysis of MAP3K4 in paraffin-embedded human placenta using MAP3K4 Rabbit polyclonal antibody (STJ11102801) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of MAP3K4 in paraffin-embedded human colon carcinoma using MAP3K4 Rabbit polyclonal antibody (STJ11102801) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with immunohistochemistry staining protocol.



Immunohistochemistry analysis of MAP3K4 in paraffin-embedded human lung cancer using MAP3K4 Rabbit polyclonal antibody (STJ11102801) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with immunohistochemistry staining protocol.



Western blot analysis of various lysates using MAP3K4 Rabbit polyclonal antibody (STJ11102801) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.