

Anti-eIF2C3 antibody (721-860) [S9MR] (STJ11103159)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/IHC-P/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Monoclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:2000 IHC-P:1:50-1:200 ELISA:Recommended starting concentration is 1 μ g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 0.05% BSA, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 97kDa Observed Mw: 97kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene ID	192669
Gene Symbol	AGO3
UniProt ID	AGO3_HUMAN
Immunogen Region	721-860
Immunogen Sequence	RTERVGRSGNIPAGTTVDTD ITHPYEFDLYLCSHAGIQGT SRPSHYHVLWDDNCFTADEL QLLTYQLCHTYVRCTRSVSI PAPAYYAHLVAFRARYHLVD KEHDSAEGSHVSGQSNGRDP QALAKAVQIHQDTLRTMYFA
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 721-860 of human eIF2C3 (Q9H9G7).

ADDITIONAL INFORMATION

Note **STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.**



Immunohistochemistry analysis of paraffin-embedded human lung cancer using eIF2C3 Rabbit monoclonal antibody (STJ11103159) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with immunohistochemistry staining protocol.



Western blot analysis of extracts of various cell lines, using eIF2C3 Rabbit monoclonal antibody (STJ11103159) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 μ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 180s.