

Anti-BCKDHA antibody (276-445) (STJ11104430)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/IF/ICC/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:1000 IF/CC:1:50-1:200 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 50kDa Observed Mw: 50kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION


Gene ID	593
Gene Symbol	BCKDHA
UniProt ID	ODBA_HUMAN
Immunogen Region	276-445
Immunogen Sequence	SEQYRGGDIAARGPGYGIMS IRVDGNDVFAVYNATKEARR RAVAENQPFLIEAMTYRIGH HSTSDDSSAYRSVDEVNYWD KQDHPISRLRHLYLLSQGWWD EEQEKAWRKQSRKVMFAFE QAERKPKPNPPLLFSVDVYQE MPAQLRQQESLARHLQTYG EHYPLDHFDK
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 276-445 of human BCKDHA (NP_000700.1).

ADDITIONAL INFORMATION

Note **STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.**



Immunofluorescence analysis of NIH/3T3 cells using BCKDHA Rabbit polyclonal antibody (STJ11104430) at dilution of 1:100. Blue: DAPI for nuclear staining.



Western blot analysis of various lysates, using BCKDHA Rabbit polyclonal antibody (STJ11104430) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 60s.

