

Anti-NCOA7 antibody (777-942) [S5263RM] (STJ11105263)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse

PRODUCT PROPERTIES


Clonality	Monoclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:1000-1:2000 ELISA:Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.05% Proclin300, 0.05% BSA, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 12kDa/25kDa/28kDa/33kDa/92-106kDa Observed Mw: 120-140kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	135112
Gene Symbol	NCOA7
UniProt ID	NCOA7_HUMAN
Immunogen Region	777-942
Immunogen Sequence	LRPHSALLENMHIEQLARRL PARVQGYPWRLAYSTLEHGT SLKTLYRKSASLDSPELLVI KMDNQIFGAYATHPFKFSY HYYGTGETFLYTFSPHFVKVFWKWSGENSYFINGDISSLELG GGGGRFGLWLDADLYHGRSN SCSTFNNDILSKKEDFIVQD LEVWAFD
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 777-942 of human NCOA7 (NP_861447.3).

ADDITIONAL INFORMATION

Note STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



Western blot analysis of Mouse brain, using NCOA7 Rabbit monoclonal antibody (STJ11105263) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.