

Anti-SRR antibody (1-340) (STJ111657)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:1000-1:5000 ELISA:Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 37kDa Observed Mw: 37kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	63826
Gene Symbol	SRR
UniProt ID	SRR_HUMAN
Immunogen Region	1-340
Immunogen Sequence	MCAQYCISFADVEKAHINIR DSIHLTPVLTSSILNQLTGR NLFFKCELFQKTGSFKIRGA LNAVRSVLPDALERKPKAVV THSSGNHGQALTYAAKLEGI PAYIVVPTAPDCKKLAIQ YGASIVYCEPSDESRENVAK RVTEETEGIMVHPNQEPAVI AGQGTIALEVLNQVPLVDAL VVPVGGGGMLAGIAITVKAL KPSVKVYAAEPSNADDCYQS KLKGGKLMPLNLYPPETIADG
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-340 of human SRR (NP_068766.1).

ADDITIONAL INFORMATION

Note **STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.**



Western blot analysis of various lysates using SRR Rabbit pAb (STJ111657) at 1:3000 dilution.
 Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution.
 Lysates/proteins: 25 µg per lane.
 Blocking buffer: 3% nonfat dry milk in TBST.
 Detection: ECL Basic Kit
 Exposure time: 60s.