

Anti-FTSJ3 antibody (608-847) (STJ112035)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human

PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:1000 ELISA:Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 97kDa Observed Mw: 125kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	117246
Gene Symbol	FTSJ3
UniProt ID	SPB1_HUMAN
Immunogen Region	608-847
Immunogen Sequence	EGEEKDGISDSSTSEEE ESWELRGKKRSRGPKSDDD GFEIVPIEDPAKHRILDPEG LALGAVIASSKKAKRDLIDN SFNRYTFNEDEGELPEWVFVQ EEKQHRIRQLPVGKKEVEHY RKRWREINARPIKKVAEAKA RKKRRMLKRLEQTRKKAEAV VNTVDISEREKVAQLRSLYK KAGLGKEKRHVTVVAKKGV GRKVRPPAGVRGHFKVVDSR MKKDQRAQQRKEQKKKKHR
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 608-847 of human FTSJ3 (NP_060117.3).

ADDITIONAL INFORMATION

Note STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



Western blot analysis of various lysates using FTSJ3 Rabbit pAb (STJ112035) at 1:1000 dilution.
 Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution.
 Lysates/proteins: 25 µg per lane.
 Blocking buffer: 3% nonfat dry milk in TBST.
 Detection: ECL Enhanced Kit
 Exposure time: 30s.