

Anti-CEACAM5 antibody (1-702) (STJ23092)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse

PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:2000 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 77kDa Observed Mw: 170kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	1048
Gene Symbol	CEACAM5
UniProt ID	CEAM5_HUMAN
Immunogen Region	1-702
Immunogen Sequence	MESPSAPPHRWCI PWQRLLL TASLLTFWNPPTTAKLTIES TPFNVAEGKEVLLLVHNL PQ HLFGYSWYKGERVDGNRQII GYVIGTQQATPGPAYSGREI IYPNASLLIQNIQNDTG FY TLHVIKSDLVNEEATGQFRV YPELPKPSISSNNSKPVEDK DAVAF TCEPETQDATY LWWV NNQSLPVPRLQLSNGNRTL TLFNVTRNDTASYKCETQNP VSARRSDSVILNVL YGPDA
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-702 of human CEACAM5 (P06731).

ADDITIONAL INFORMATION

Note	STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.
------	---



Western blot analysis of extracts of various cell lines, using CEACAM5 antibody (STJ23092) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 180s.