

## Anti-LEPR antibody (1070-1165) (STJ24394)

### GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/IF/ICC/ELISA
Host / Source	Rabbit
Reactivity	Human/Rat

### PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:1000 IF/CC:1:50-1:200 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.09% Sodium Azide, 50% Glycerol, pH7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 132kDa Observed Mw: 140kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

### TARGET INFORMATION


Gene ID	<a href="#">3953</a>
Gene Symbol	<a href="#">LEPR</a>
UniProt ID	<a href="#">LEPR_HUMAN</a>
Immunogen Region	1070-1165
Immunogen Sequence	ENNDKKSIIYLGVTSIKKRE SGVLLTDKSRVSCPFPAPCL FTDIRVLQDSCSHFVENNIN LGTSSKKTFASTYMPQFQTCS TQTHKIMENKMCDLTV
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1070-1165 of human LEPR (NP_002294.2).

### ADDITIONAL INFORMATION

Note STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



Immunofluorescence analysis of HepG2 cells using Leptin Receptor Rabbit polyclonal antibody (STJ24394) at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.



Western blot analysis of extracts of various cell lines, using Leptin Receptor antibody (STJ24394) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 180s.