Anti-NSMF antibody (226-505) (STJ24737)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse

PRODUCT PROPERTIES

Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:2000 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 60kDa Observed Mw: 70kDa
Storage Instruction	Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	26012
Gene Symbol	NSMF
UniProt ID	NSMF_HUMAN
Immunogen Region	226-505
Immunogen Sequence	FQTATTTMQANFRKHLRMVG SRRVKAQTFAERRERSFSRS WSDPTPMKADTSHDSRDSSD LQSSHCTLDEAFEDLDWDTE KGLEAVACDTEGFVPPKVML ISSKVPKAEYIPTIIRRDDP SIIPILYDHEHATFEDILEE IERKLNVYHKGAKIWKMLIF CQGGPGHLYLLKNKVATFAK VEKEEDMIHFWKRLSRLMSK VNPEPNVIHIMGCYILGNPN GEKLFQNLRTLMTPYRVTF
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 226-505 of human NSMF (NP_001124443.1).

ADDITIONAL INFORMATION

Note	STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



Western blot analysis of various lysates using NSMF Rabbit polyclonal antibody (STJ24737) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.