

Anti-SLC32A1 antibody (1-525) (STJ25579)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:1000-1:2000 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 57kDa Observed Mw: 53kDa
Storage Instruction	Store at -20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	140679
Gene Symbol	SLC32A1
UniProt ID	VIAAT_HUMAN
Immunogen Region	1-525
Immunogen Sequence	MATLLRSKLSNVATSVSNKS QAKMSGMFARMGFQAATDEE AVGFAHCDDLD FEHRQGLQM DILKAEGEPCGDEGAEAPVE GDIHYQRGSGAPLPSPGSKD QVGGGGEGFGGHDKPKITAW AGWNVNTNAIQGMFVLGLPYA ILHGGYLGLFLIIFA VVCC YTGKILIACLYEENEDGEV RVRDSYVAIANACCAPRFPT LGGRVVNVAQIIELVMTCIL YVVVSGNLMYNSFPGLPVS
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 1-525 of human SLC32A1 (Q9H598).

ADDITIONAL INFORMATION

Note	STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.
------	---



Western blot analysis of various lysates using SLC32A1 Rabbit polyclonal antibody (STJ25579) at 1:400 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST.