Anti-NEK3 antibody (267-506) (STJ28748)

GENERAL INFORMATION

Product Type	Primary antibodies
Applications	WB/ELISA
Host / Source	Rabbit
Reactivity	Human/Mouse/Rat

PRODUCT PROPERTIES

Clonality	Polyclonal
Concentration	Lot specific
Conjugation	Unconjugated
Purification	Affinity purification
Dilution Range	WB:1:500-1:2000 ELISA:Recommended starting concentration is 1 Mu g/mL. Please optimize the concentration based on your specific assay requirements.
Formulation	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.3.
Isotype	IgG
Molecular Weight	Protein Mw: 58kDa Observed Mw: 55kDa
Storage Instruction	Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID	4752
Gene Symbol	NEK3
UniProt ID	NEK3_HUMAN
Immunogen Region	267-506
Immunogen Sequence	PEIIMEYGEEVLEEIKNSKH NTPRKKTNPSRIRIALGNEA STVQEEEQDRKGSHTDLESI NENLVESALRRVNREEKGNK SVHLRKASSPNLHRRQWEKN VPNTALTALENASILTSSLT AEDDRGGSVIKYSKNTTRKQ WLKETPDTLLNILKNADLSL AFQTYTIYRPGSEGFLKGPL SEETEASDSVDGGHDSVILD PERLEPGLDEEDTDFEEEDD NPDWVSELKKRAGWQGLCD
Specificity	Recombinant fusion protein containing a sequence corresponding to amino acids 267-506 of human NEK3 (NP_689933.1).

ADDITIONAL INFORMATION

Note	STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



Western blot analysis of extracts of various cell lines, using NEK3 antibody (STJ28748) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (STJS000856) at 1:10000 dilution. Lysates/proteins: 25 Mu g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.