

## Anti-TBK1 antibody (Intracellular Loop) (STJ503212)

### GENERAL INFORMATION

|               |                    |
|---------------|--------------------|
| Product Type  | Primary antibodies |
| Applications  | ELISA/IHC/IP/WB    |
| Host / Source | Rabbit             |
| Reactivity    | Human/Mouse/Rat    |

### PRODUCT PROPERTIES


|                     |  |
|---------------------|--|
| Clonality           | Polyclonal   |
| Concentration       | 0.52-0.57 µg/µl  |
| Conjugation         | Unconjugated   |
| Purification        | Affinity Purified  |
| Dilution Range      | WB: 1:500<br>DB: 1:10, 000<br>ELISA: 1:10, 000<br>IP: 1:200<br>IHC: 1:50-1:150   |
| Formulation         | Contains Tris, HCl/Glycine buffer pH 7.4-7.8, 30% Glycerol and 0.5% BSA, along with cryo-protective agents, Hepes, and long-term preservatives (0.02% Sodium Azide). |
| Isotype             | IgG  |
| Storage Instruction | Store at -20°C for long term storage. Avoid freeze-thaw cycles.  |

### TARGET INFORMATION

|                  |                            |
|------------------|----------------------------|
| Gene ID          | <a href="#">29110</a>      |
| Gene Symbol      | <a href="#">TBK1</a>       |
| UniProt ID       | <a href="#">TBK1_HUMAN</a> |
| Immunogen Region | Intracellular Loop         |

### ADDITIONAL INFORMATION

Note STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



Immunohistochemistry of rat Cortex with Anti-TBK1 primary antibody (STJ503212) at 1:50 dilution in Buffer. Section was treated with DAB and Haematoxylin stain. Magnification is at 40X.