# Anti-Syntenin 2 antibody (C-Term) (STJ70496)

## GENERAL INFORMATION

| | |
|---|---|
| Product Type | Primary antibodies |
| Applications | Pep-ELISA/IHC |
| Host / Source | Goat |
| Reactivity | Human/Mouse/Rat |

## PRODUCT PROPERTIES


| | |
|---|---|
| Clonality | Polyclonal |
| Concentration | 0.5 mg/mL |
| Conjugation | Unconjugated |
| Purification | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| Dilution Range | Peptide ELISA: antibody detection limit dilution 1:16000.<br>IHC: In paraffin embedded Human Liver shows staining of cytoplasm in hepatocytes. Recommended concentration, 4-6µg/ml. |
| Formulation | 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA |
| Isotype | IgG |
| Storage Instruction | Store at-20°C on receipt and minimise freeze-thaw cycles. |

## TARGET INFORMATION

| | |
|---|---|
| Gene ID | 27111 |
| Gene Symbol | SDCBP2 |
| UniProt ID | SDCB2_HUMAN |
| Immunogen Region | C-Term |
| Immunogen Sequence | LLHHTMDHSIPDA |
| Specificity | This antibody is expected to recognise both human isoforms (NP_056500; NP_536737). |

## ADDITIONAL INFORMATION

| | |
|---|---|
| Note | STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS. |



STJ70496 (4µg/ml) staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, HRP-staining.