

## Anti-DOK5 antibody (C-Term) (STJ70602)

### GENERAL INFORMATION

Product Type	Primary antibodies
Applications	Pep-ELISA/IHC
Host / Source	Goat
Reactivity	Human/Mouse/Rat/Dog/Pig/Cow

### PRODUCT PROPERTIES


Clonality	Polyclonal
Concentration	0.5 mg/mL
Conjugation	Unconjugated
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Dilution Range	Peptide ELISA: antibody detection limit dilution 1:16000. IHC: In paraffin embedded tonsil, stains scattered cells in the interfollicular area compatible with mast cells. Recommended concentration: 1-2µg/ml.
Formulation	0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA
Isotype	IgG
Storage Instruction	Store at -20°C on receipt and minimise freeze-thaw cycles.

### TARGET INFORMATION


Gene ID	<a href="#">55816</a>
Gene Symbol	<a href="#">DOK5</a>
UniProt ID	<a href="#">DOK5_HUMAN</a>
Immunogen Region	C-Term
Immunogen Sequence	CLHRTETFPAYRSEH

### ADDITIONAL INFORMATION

Note STRICTLY FOR FURTHER SCIENTIFIC RESEARCH USE ONLY (RUO). MUST NOT TO BE USED IN DIAGNOSTIC OR THERAPEUTIC APPLICATIONS.



HEK293 overexpressing DOK5 (RC211718) and probed with STJ70602 (mock transfection in first lane) , tested by Origene.



STJ70602 (1µg/ml) staining of paraffin embedded Human Tonsil. Microwaved antigen retrieval with citrate buffer pH6, HRP-staining.