

## MATERIAL SAFETY DATA SHEET

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

<b>1.1 Product Identification</b>	STJE0008127
<b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b>	This kit is composed of mixtures and substances which must only be used together under the guidelines of the kit protocol. This kit is intended for the purposes of scientific research use only. It must not be used in diagnostic or other medical procedures.
<b>1.3. Details of the supplier of the safety data sheet</b>	St John's Laboratory Ltd , Knowledge Dock Business Centre, Docklands Campus, University Way, London, E16 2RD, United Kingdom Tel: 0208 223 3081 Email: <a href="mailto:info@stjohnslabs.com">info@stjohnslabs.com</a>
<b>1.4 Emergency Phone</b>	UK - Call 111 if you urgently need medical assistance or advice if in a non-life-threatening situation. 111 is available 24 hours a day, 365 days a year. USA – Emergency services – Dial 911 EU – Emergency services – Dial 112 ROW – Please seek assistance from local country services.

### SECTION 2: HAZARDS SUMMARY

<b>Emergency summary</b>	Excessive exposure may require use of first aid kit and medical follow-up. Stop Solution – WARNING
<b>GHS Hazard Classification</b>	All other components - Not hazardous substances or mixtures according to the Globally Harmonised System of Classification and Labelling Chemicals (GHS).



### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	Physical Form	Ingredient	Concentration	CAS No.	EC No.
Microwells	Plastic non-reactive wells	-	-	-	-
Concentrated Biotinylated Detection Antibody	Odourless and Colourless, liquid	Detection antibody Glycerol	- 50%	- 56-81-5	- 200-289-5
100x Streptavidin-HRP	Odourless and Colourless, liquid	HRP-linked Avidin Glycerol	- 50%	- 56-81-5	- 200-289-5
30X Wash Buffer	Odourless and Colourless, liquid	TBS	-	-	-
TMB Substrate	Liquid	3,3',5,5' Tetramethylbenzidine	0.05%	54827-17-7	259-364-6
Stop Solution	Odourless and colourless, liquid	Sulphuric acid (H <sub>2</sub> SO <sub>4</sub> )	1 mol/L	7664-93-9	231-639-5
Reference Standard	White lyophilized powder	-	-	-	-
Standard Diluent	Odourless and Colourless, liquid	TBS Proclin-300	- 0.025%	- 96118-96-6	- 911-418-6

This kit is sold with intention for research use only by personnel familiar with chemicals and trained professionals with good laboratory practices in science research. No other use is intended, and any other use may involve substantive hazards. All information is believed to be correct at the time of writing and does not purport to be all inclusive and shall be used only as guide for experienced personnel. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.

## SECTION: 4 FIRST-AID MEASURES

### 4.1 General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### 4.2 If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### 4.3 In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### 4.4 In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### 4.5 If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## SECTION 5 FIRE FIGHTING MEASURES

### 5.1 Suitable extinguishing media

Water spray, alcohol-resistant foam, dry chemical, carbon dioxide or appropriate foam. For small fires, use media such as "alcohol" foam, dry chemical or carbon dioxide. For large fires, apply water from as far as possible. Use large quantities of water applied as a mist or spray. Solid streams of water may be ineffective. Cool affected containers with flooding quantities of water.

### 5.2 Special precautions for fire-fighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

### 5.3 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides, Hydrogen chloride gas.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1 Person-related safety precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### 6.2 Measures for environmental protection

Prevent further leakage or spillage if safe to do so. Do not let enter drains. Discharge into the environment must be avoided.

### 6.3 Measures for containment and cleaning

Contain spillage, and then collect with non-combustible absorbent material (eg. sand, diatomaceous earth, vermiculite). Place in a container for disposal according to local regulations. Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

## SECTION 7 HANDLING AND STORAGE

### 7.1 Handling

- Wear appropriate protective clothing and safety gloves.
- Avoid inhalation.
- Avoid contact with eyes, skin and clothing.
- Mechanical exhaust required.
- Keep away from ignition sources, heat and flame.
- No smoking at working site.
- Incompatibilities: Strong oxidizing agents, Strong acids. Handling and unloading should be light, to prevent packaging broken, damp and cause losses.
- Working place should be equipped with appropriate varieties and quantities of firefighting equipment and leakage emergency treatment equipment.

### 7.2 Storage

- Store in cool place. Keep container tightly closed in a dry and well-ventilated place.
- Keep away from heat, sparks and flame.
- Keep away from sources of ignition.
- Incompatible: Strong oxidizing agents, Strong acids.
- Storage place should be equipped with appropriate varieties and quantities of firefighting equipment and leakage emergency treatment equipment.

## SECTION 8 EXPOSURE CONTROL/PPE

Name	Occupational exposure limits (EH40/2005 WEL, UK)
ProClin-300	-
Sulphuric acid	TWA 0.05 mg/m <sup>3</sup> Form: Mist
Glycerol	TWA (8 h): 10 mg/m <sup>3</sup> Form: Mist
3,3',5,5'-Tetramethylbenzidine	-

### 8.1 Engineering Controls

Mechanical exhaust required. Safety shower and eye bath.

### Occupational exposure limits in the workplace

MAC (mg/m <sup>3</sup> )	No data available
PC-STEL (mg/m <sup>3</sup> )	No data available

This kit is sold with intention for research use only by personnel familiar with chemicals and trained professionals with good laboratory practices in science research. No other use is intended, and any other use may involve substantive hazards. All information is believed to be correct at the time of writing and does not purport to be all inclusive and shall be used only as guide for experienced personnel. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.

<b>TLV-TWA (mg/m<sup>3</sup>)</b>	No data available
<b>PC-TWA (mg/m<sup>3</sup>)</b>	No data available
<b>TLV-C (mg/m<sup>3</sup>)</b>	No data available
<b>TLV=STEL (mg/m<sup>3</sup>)</b>	No data available

Hazardous decomposition products formed under fire conditions: Carbon oxides, Nitrogen oxides (NO<sub>x</sub>), Sulphur oxides, Hydrogen chloride gas.

### 8.2 Personal Protective Equipment

Respiratory: Government approved respirator if needed.  
 Eye/face: Chemical safety goggles if needed.  
 Clothing: Wear appropriate protective clothing.  
 Hand/skin: Protective gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.  
 Body protection: Wear suitable protective clothing according to the concentration and amount of the substance at the workplace.

### 8.3 Other Protect

No smoking, drinking and eating at working site. Wash thoroughly after handling.

## SECTION 9 PHYSICAL/CHEMICAL PROPERTIES

<b>Appearance</b>	Liquid
<b>Smell</b>	Odourless
<b>Boiling point/boiling range</b>	°C no data available
<b>Melting point/melting range</b>	°C no data available
<b>Flash Point</b>	°C no data available
<b>Autoignition temperature</b>	°C no data available
<b>Oxidation</b>	No data available
<b>Water solubility</b>	No data available
<b>Viscosity</b>	No data available

## SECTION 10 STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Heat, flames and sparks

### 10.5 Incompatible materials

Strong oxidizing agent, Light sensitive, Alcohols, Organic materials, Heavy metals, Powdered metals, Strong reducing agents, Amines, Mercaptans.

### 10.6 Hazardous decomposition products

Other decomposition products: No data available

## SECTION 11 TOXICOLOGICAL INFORMATION

Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
<b>ProClin-300</b>	862 mg/kg (Rat)	2,800 mg/kg (Rabbit)	4 h - 16.67 mg/l - vapor (Calculation method)
<b>Sulphuric acid</b>	2,140 mg/kg (Rat)	Skin - Rabbit	-
<b>Glycerol</b>	= 12600 mg/kg (Rat)	> 10g/kg (Rabbit)	> 570 mg/m <sup>3</sup> (Rat) 1 h
<b>3,3',5,5' Tetramethyl benzidine</b>	-	-	-

**Acute toxicity** not considered harmful

### Other potential effects

<b>Eyes</b>	May cause eye irritation
<b>Skin</b>	May cause eye irritation
<b>Inhalation</b>	Harmful by inhalation
<b>Ingestion</b>	Swallowing may be harmful
<b>Carcinogenesis</b>	N/A
<b>Mutagenic effect</b>	N/A
<b>Reproduction toxicity</b>	N/A
<b>Allergenicity</b>	N/A
<b>Target organ</b>	No known effects

## SECTION 12 ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	Contains no substances that are dangerous to the environment
<b>Mobility</b>	No useful information
<b>Biodegradability</b>	No useful information
<b>Biocumulativity</b>	No useful information

Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
<b>ProClin-300</b>	-	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 0.19	flow-through test LC50 - Daphnia magna (Water flea) - 0.18 mg/l - 48 h (US-EPA)

This kit is sold with intention for research use only by personnel familiar with chemicals and trained professionals with good laboratory practices in science research. No other use is intended, and any other use may involve substantive hazards. All information is believed to be correct at the time of writing and does not purport to be all inclusive and shall be used only as guide for experienced personnel. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.

	mg/l - 96 h (US-EPA) <b>Chronic toxicity</b> - flow-through - test NOEC - semi-static test NOEC - Daphnia magna (Water flea) - Oncorhynchus mykiss 0.1 mg/l - 21 d (US-EPA) trout) - 0.098 mg/l - 35 d (OECD Test Guideline 215)			
<b>Sulphuric acid</b>	ErC50 - Desmod esmus subspic atus (green algae) - > 100 mg/l - 72 h	-	-	EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
<b>Glycerol</b>	-	LC50 51 - 57 mL/L (Oncorhynchus mykiss) 96 h	-	EC50 500 mg/L (Daphnia magna) 24 h
<b>3,3',5,5'-Tetramethyl benzidine</b>	-	-	-	-

## SECTION 13 DISPOSAL CONSIDERATION

### 13.1 Disposal methods

Dispose of waste in accordance to applicable national, regional, or local regulations. Burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### 13.2 Contaminated packaging

Dispose in the same manner as unused product.

## SECTION 14 TRANSPORT INFORMATION

RID/ADR: Non-Hazardous for Transport: This substance is considered non-hazardous for transport  
 IATA: Non-Hazardous for Air Transport.  
 IMO: Non-Hazardous for Sea Transport.

## SECTION 15 REGULATORY INFORMATION

This material safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 and its amendments.

This kit is sold with intention for research use only by personnel familiar with chemicals and trained professionals with good laboratory practices in science research. No other use is intended, and any other use may involve substantive hazards. All information is believed to be correct at the time of writing and does not purport to be all inclusive and shall be used only as guide for experienced personnel. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.